

EXPLORER CASES

EXPLORER
CASES

www.explorercases.com

HARD CASES



MADE IN ITALY



EN 25-1

1908	1913	2209	2214	2437	2712
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
190x125x85 mm	190x125x135 mm	220x160x95 mm	220x160x145 mm	240x240x370 mm	276x200x120 mm
7 1/2 x 4 15/16 x 3 3/8 in	7 1/2 x 4 15/16 x 5 5/16 in	8 11/16 x 6 5/16 x 3 3/4 in	8 11/16 x 6 5/16 x 5 11/16 in	9 29/64 x 9 29/64 x 14 9/16 in	10 7/8 x 7 7/8 x 4 3/4 in
2712HL	2717	2717HL	3005	3110HL	3317
					
HL 		HL 	HL 	HL 	
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
276x200x120 mm	276x200x170 mm	276x200x170 mm	300x210x58 mm	310x100x108 mm	330x234x170 mm
10 7/8 x 7 7/8 x 4 3/4 in	10 7/8 x 7 7/8 x 6 11/16 in	10 7/8 x 7 7/8 x 6 11/16 in	11 13/16 x 8 1/4 x 2 5/16 in	12 13/64 x 3 15/16 x 4 1/4 in	13 x 9 3/16 x 6 11/16 in
3317HL	3317W	3815HL	3818	3818HL	3823HL
					
HL 		HL 		HL 	HL 
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
330x234x170 mm	330x350x170 mm	380x270x155 mm	380x270x180 mm	380x270x180 mm	380x270x230 mm
13 x 9 3/16 x 6 11/16 in	13 x 13 3/4 x 6 11/16 in	14 15/16 x 10 5/8 x 6 1/8 in	14 15/16 x 10 5/8 x 7 1/16 in	14 15/16 x 10 5/8 x 7 1/16 in	14 15/16 x 10 5/8 x 9 1/16 in
4209HL	4216HL	4412	4412HL	4419	4419HL
					
HL 	HL 		HL 		
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
420x300x95 mm	420x300x160 mm	445x345x125 mm	445x345x125 mm	445x345x190 mm	445x345x190 mm
16 9/16 x 11 13/16 x 3 3/4 in	16 9/16 x 11 13/16 x 6 5/16 in	17 1/2 x 13 9/16 x 4 15/16 in	17 1/2 x 13 9/16 x 4 15/16 in	17 1/2 x 13 9/16 x 7 1/2 in	17 1/2 x 13 9/16 x 7 1/2 in
4820	4820HL	4825HL	5116	5117	5122
	HL 				
		HL 			
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
480x370x205 mm	480x370x205 mm	480x370x255 mm	516x296x160 mm	517x277x173 mm	517x277x217 mm
18 7/8 x 14 9/16 x 8 1/16 in	18 7/8 x 14 9/16 x 8 1/16 in	18 7/8 x 14 9/16 x 10 1/16 in	20 5/16 x 11 5/8 x 6 5/16 in	20 3/8 x 10 7/8 x 6 13/16 in	20 3/8 x 10 7/8 x 8 9/16 in

HL SERIES
The new standard for lightweight cases with no compromise on durability and reliability. Featuring an improved strength and over 30% less weight.



2 STANDARD CONFIGURATION AVAILABLE:
EMPTY OR WITH "PICK & PLUCK" FOAM LAYERS



OPTIONAL DIVIDERS WITH ADJUSTABLE PARTITIONS








OPTIONAL DIVIDER BAGS AND ORGANIZED POUCHES



OPTIONAL HEAVY DUTY PADDED GUNBAGS



ARMORY CONFIGURATIONS AVAILABLE

5131	5140	5212HL	5215HL	5218HL	5221HL
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
516x296x310 mm	581x381x455 mm	520x285x125 mm	520x285x150 mm	520x285x180 mm	520x285x205 mm
20 5/16 x 11 5/8 x 12 3/16 in	22 7/8 x 15 x 17 15/16 in	20 1/2 x 11 1/4 x 4 15/16 in	20 1/2 x 11 1/4 x 5 7/8 in	20 1/2 x 11 1/4 x 7 1/16 in	20 1/2 x 11 1/4 x 8 1/16 in
5325	5326	5822	5823	5833	7626HL
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
538x405x250 mm	538x405x250 mm	580x440x220 mm	580x440x220 mm	580x440x330 mm	763x399x260 mm
21 3/16 x 15 15/16 x 9 13/16 in	21 3/16 x 15 15/16 x 9 13/16 in	22 13/16 x 17 5/16 x 8 11/16 in	22 13/16 x 17 5/16 x 8 11/16 in	22 13/16 x 17 5/16 x 13 in	30 1/16 x 15 11/16 x 10 1/4 in
7630	7635HL	7641	7726	7745	7814HL
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
765x485x305 mm	763x399x350 mm	765x485x415 mm	770x580x265 mm	770x580x450 mm	780x350x145 mm
30 1/8 x 19 1/8 x 12 in	30 1/16 x 15 11/16 x 13 3/4 in	30 1/8 x 19 1/8 x 16 5/16 in	30 5/16 x 22 13/16 x 10 7/16 in	30 5/16 x 22 13/16 x 17 11/16 in	30 11/16 x 13 3/4 x 5 11/16 in
8830HL	8831HL	9413	9433	10826	10840
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
880x300x305 mm	880x300x305 mm	936x350x135 mm	936x350x330 mm	1080x620x260 mm	1080x620x400 mm
34 41/64 x 11 13/16 x 12 1/64 in	34 41/64 x 11 13/16 x 12 1/64 in	36 7/8 x 13 3/4 x 5 5/16 in	36 7/8 x 13 3/4 x 13 in	42 1/2 x 24 7/16 x 10 1/4 in	42 1/2 x 24 7/16 x 15 3/4 in
11413	13513	13527	15416		
					
					
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS		
1136x350x135 mm	1350x350x135 mm	1350x350x272 mm	1540x377x160 mm		
44 3/4 x 13 3/4 x 5 5/16 in	53 1/8 x 13 3/4 x 5 5/16 in	53 1/8 x 13 3/4 x 10 11/16 in	60 5/8 x 14 13/16 x 6 5/16 in		

FEATURES

1. REINFORCED CORNERS

2. SINGLE BLOCK O-RING SEAL

3. REMOVABLE LID (on certain mod.)

4. CORROSION PROOF METAL PINS

5. COPOLYMER PP INJECTION MOLDED BODY

6. SELF OILING WHEELS (on certain mod.)

7. ERGONOMIC HANDLE

8. PRESSURE RELEASE VALVE

9. CUSTOMIZABLE NAME TAGS

FEATURES


1. REINFORCED CORNERS
2. SINGLE BLOCK O-RING SEAL
3. REMOVABLE LID (on certain mod.)
4. CORROSION PROOF METAL PINS
5. COPOLYMER PP INJECTION MOLDED BODY
6. SELF OILING WHEELS (on certain mod.)
7. ERGONOMIC HANDLE
8. PRESSURE RELEASE VALVE
9. CUSTOMIZABLE NAME TAG
10. PRECUBED FOAM LAYERS
11. CONVOLUTED FOAM IN THE LID
12. METAL PADLOCKABLE POINTS (on certain mod.)
13. SECURE EASY TO OPEN LATCHES
14. POSITIVE STACKING LOCATION



OPTIONAL BACKPACK
HARNESS TURNS THE
CASE INTO A
BACKPACK
(certain models)



OPTIONAL KEY LATCH
KIN.1490



OPTIONAL INTERNAL SLOTS
FOR PLASTIC
OR METAL BRACKETS



OPTIONAL TSA APPROVED
COMBI PADLOCK



OPTIONAL USER FRIENDLY
PANEL FRAMES

TECHNICAL SPECIFICATIONS

HL SERIES	CASE MODEL	COLORS					REMOV. LID	WHEELS	INTERNAL CONFIG.	WEIGHT KG	BUOYANCY KG MAX *	VOLUME LITRES	INT. DIM. (mm)				EXT. DIM. (mm)			
		BLACK	ORANGE	M.GREEN	D.SAND	B. N. N.							YELLOW	L	W	D	LID	BASE	L	W
	1908	BE	OE	GE					EMPTY	0,7	1,4	2	190	125	85	20	65	216	180	102
		B	O	G					W/FOAM	0,8										
	1913	BE	OE	GE					EMPTY	0,85	2,4	3,2	190	125	135	20	115	216	180	152
		B	O	G					W/FOAM	0,92										
	2209	BE	OE	GE					EMPTY	0,88	2,3	3,3	220	160	95	20	75	246	215	112
		B	O	G					W/FOAM	0,99										
	2214	BE	OE	GE					EMPTY	1,16	3,9	5,1	220	160	145	20	125	246	215	162
		B	O	G					W/FOAM	1,29										
	2437	BE	OE	GE					EMPTY	2,45	15,6	21,3	240	240	370	70	300	269	304	388
		B	O	G					W/FOAM	2,37										
	2712	BE	OE	GE				✓	EMPTY	1,62	4,2	6,6	276	200	120	35	85	305	270	144
		B	O	G					W/FOAM	1,83										
HL SERIES	2712HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	1,32	4,2	6,6	276	200	120	35	85	316	270	143
		B	O	G					W/FOAM	1,46										
	2717	BE	OE	GE				✓	EMPTY	1,93	6,7	9,3	276	200	170	35	135	305	270	194
		B	O	G					W/FOAM	2,12										
HL SERIES	2717HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	1,64	6,7	9,4	276	200	170	35	135	316	270	192
		B	O	G					W/FOAM	1,75										
HL SERIES	3005	BE	OE	GE	DE				EMPTY	1,1	2,1	4	300	210	58	20	38	326	269	75
		B	O	G					W/FOAM	1,2										
HL SERIES	3110HL	BE	OE	GE	DE			✓	EMPTY	0,95	2,5	3,4	310	100	108	20	88	336	159	127
		B	O	G					W/FOAM	1,05										
	3317	BE	OE	GE				✓	EMPTY	2,29	7	13,1	330	234	170	68	102	360	304	194
		B	O	G					W/FOAM	2,51										
HL SERIES	3317HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	1,78	7,1	13,1	330	234	170	68	102	360	304	192
		B	O	G					W/FOAM	2,02										
	3317W	BE						✓	EMPTY	2,92	10,6	19,6	330	350	170	68	102	360	420	194
		B							W/FOAM	3,3										
HL SERIES	3815HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	2,2	10	15,9	380	270	155	47	108	420	340	177
		B	O	G					W/FOAM	2,53										
	3818	BE	OE	GE					EMPTY	3,14	12,4	18,4	380	270	180	47	133	410	340	205
		B	O	G					W/FOAM	3,58										
HL SERIES	3818HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	2,26	12,3	18,5	380	270	180	47	133	420	340	202
		B	O	G					W/FOAM	2,66										
HL SERIES	3823HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	2,59	16	23,6	380	270	230	57	173	420	340	252
		B	O	G					W/FOAM	3,09										
HL SERIES	4209HL	BE	OE	GE	DE			✓	EMPTY	2,2										
		B	O	G	D				W/FOAM	2,6	6,8	12	420	300	95	35	60	457	366	118
		BC							W/PC BAG	2,8										
HL SERIES	4216HL	BE	OE	GE	DE			✓	EMPTY	2,6	14,2	20,6	420	300	160	35	125	457	366	183
		B	O	G					W/FOAM	3,2										
	4412	BE	OE	GE				✓	EMPTY	3,4	10,7	19,2	445	345	125	47	78	474	415	149
		B	O	G					W/FOAM	3,9										
HL SERIES	4412HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	2,5										
		B	O	G	D	N	Y		W/FOAM	2,92	10,8	19,2	445	345	125	47	78	485	414	149
		BC							W/PC BAG	3,22										
	4419	BE	OE	GE				✓	EMPTY	4,7	19,7	29,2	445	345	190	47	143	474	415	214
		B	O	G					W/FOAM	4										
HL SERIES	4419HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	2,91	19,8	29,2	445	345	190	47	143	485	414	212
		B	O	G					W/FOAM	3,58										
	4820	BE	OE	GE					EMPTY	4,64	24,7	35,5	480	370	205	50	155	520	435	230
		B	O	G					W/FOAM	5,4										
HL SERIES	4820HL	BE	OE	GE	DE	NE	YE		EMPTY	3,41	24,8	36,4	480	370	205	50	155	520	440	230
		B	O	G					W/FOAM	4,17										
HL SERIES	4825HL	BE	OE	GE	DE	NE	YE	✓	EMPTY	4,5	28,2	39	480	370	255	50	205	520	440	276
		B	O	G	D	N	Y		W/FOAM	5,3										
	5116	BE						✓	EMPTY	3,5	15,1	24,4	516	296	160	50	110	585	368	198
		B							W/FOAM	4										
	5117	BE	OE	GE				✓	EMPTY	3,8	15,8	24,7	517	277	173	50	123	546	347	197
		B	O	G					W/FOAM	4,5										
	5122	BE	OE	GE				✓	EMPTY	6	21,5	31	517	277	217	50	167	546	347	247
		B	O	G					W/FOAM	7										
	5131	BE						✓	EMPTY	5	34,4	47,3	516	296	310	60	250	585	368	348
		B							W/FOAM	5,5										
		BK101.AH							W/FOAM FILLED DRAWERS	13										
		BK102.AH							W/EMPTY DRAWERS	13,8										
		BK103.AH							W/EMPTY DRAWERS	13,8										
		BK1E.AH							AIDRAW READY	9,75							581	381	455	
		BE.AH							COMPLETELY EMPTY	7,52										
		X.B							AIBOX READY	9,75										
HL SERIES	5212HL	BE	OE	GE	DE			✓	EMPTY	2,35	12,7	18,5	520	285	125	30	95	550	350	145
		B	O	G	D				W/FOAM	2,86										
HL SERIES	5215HL	BE	OE	GE	DE			✓	EMPTY	2,55	12,7	22,2	520	285	150	55	95	550	350	170
		B	O	G	D				W/FOAM	3,05										
HL SERIES	5218HL	BE		GE	DE			✓	EMPTY	3,75	20	26	520	285	180	30	150	550	350	200
		B		G	D				W/FOAM	4,3										
HL SERIES	5221HL	BE		GE	DE	D		✓	EMPTY	3,9	20	30,3	520	285	205	55	150	550	350	225
		B		G	D				W/FOAM	4,5										
	5325	BE	OE	GE				✓	EMPTY	8,25	37,2	53	538	405	250	60	190	607	475	275
		B	O	G					W/FOAM	10										
	5326	BE	OE	GE				✓	EMPTY	11,25	37,2	53	538	405	250	60	190	627	475	292
		B	O	G					W/FOAM	7,16										
	5822	BE	OE	GE					EMPTY	8,39										