



# Mod. 1908 G



□□□□□□□□



## Metric mm-Kg-C°

	□□□□	□□□□	□□□□	□□□□
	<b>L</b> □□	<b>190 mm</b>	<b>L</b> □□	<b>216 mm</b>
	<b>W</b> □□	<b>125 mm</b>	<b>W</b> □□	<b>180 mm</b>
	<b>D</b> □□	<b>85 mm</b>	<b>D</b> □□	<b>102 mm</b>
	□	<b>20 mm</b>		
	□□□	<b>65 mm</b>		
				<b>0.70 Kg</b>
				<b>0.80 Kg</b>
				<b>0 Kg</b>
				<b>2 lt</b>
				<b>1.40 Kg/max</b>
				<b>°C min -33 / max +90</b>

## Imperial in-lbs-F°

	□□□□	□□□□	□□□□	□□□□
	<b>L</b> □□	<b>7 1/2 in</b>	<b>L</b> □□	<b>8 1/2 in</b>
	<b>W</b> □□	<b>4 15/16 in</b>	<b>W</b> □□	<b>7 1/16 in</b>
	<b>D</b> □□	<b>3 3/8 in</b>	<b>D</b> □□	<b>4 in</b>
	□	<b>13/16 in</b>		
	□□□	<b>2 9/16 in</b>		
				<b>1.54 lbs</b>
				<b>1.76 lbs</b>
				<b>0 lbs</b>
				<b>0.52 gal</b>
				<b>3.08 lbs/max</b>
				<b>°F min -27.4 / max +194</b>