


Mod. 5122 BE

□□□□□□□□




Metric mm-Kg-C°



□□□□	□□□□	□□□□	□□□□	□□□□
L □□	517 mm	L □□	546 mm	□□
W □□	277 mm	W □□	347 mm	□□□□□
D □□	217 mm	D □□	247 mm	□□□□□□
□	50 mm			□□
□□□	167 mm			□□
				21.50 Kg/max
				°C min -33 / max +90

Imperial in-lbs-F°



□□□□	□□□□	□□□□	□□□□	□□□□
L □□	20 3/8 in	L □□	21 1/2 in	□□
W □□	10 7/8 in	W □□	13 11/16 in	□□□□□
D □□	8 9/16 in	D □□	9 3/4 in	□□□□□□
□	1 15/16 in			□□
□□□	6 9/16 in			□□
				8.18 gal
				47.39 lbs/max
				°F min -27.4 / max +194



5122



null



6



6 1908



5117 5122

Explorercases

Explorercases



OPTIONAL
TOP COVERS
AVAILABLE
FOR LARGER
MODELS

COVERCHI
OPZIONALI
PER I
MODELLI
PIU' GRANDI



□□



(Art. LABELCOVER + nr. art.)



XXXXXXXXXXXXXXXXXXXX



(Art. NEOSEAL + nr. art.)



XXXXXXXXXXXXXXXXXXXX Art. PURGEVALVE.B



000000000000000000



00381800



00000000007000000000;



□□□□□□□□□□

