


Mod. 5122 BE

□□□□□□□□




Metric mm-Kg-C°



□□□□	□□□□	□□□□	□□□□
L □□	517 mm	L □□	546 mm
W □□	277 mm	W □□	347 mm
D □□	217 mm	D □□	247 mm
□	50 mm	□□□□□□	0 Kg
□□□□	167 mm	□□	31 lt
		□□	21.50 Kg/max
		□□□□	°C min -33 / max +90

Imperial in-lbs-F°



□□□□	□□□□	□□□□	□□□□
L □□	20 3/8 in	L □□	21 1/2 in
W □□	10 7/8 in	W □□	13 11/16 in
D □□	8 9/16 in	D □□	9 3/4 in
□	1 15/16 in	□□□□□□	0 lbs
□□□□	6 9/16 in	□□	8.18 gal
		□□	47.39 lbs/max
		□□□□	°F min -27.4 / max +194



5122

foam padding



foam pad

null



foam insert

6mm foam insert



latch

6mm latch 1908

latch



5117/5122

Explorercases

Explorercases




OPTIONAL
TOP COVERS
AVAILABLE
FOR LARGER
MODELS

COPERCHI
OPZIONALI
PER I
MODELLI
PIU' GRANDI



□□



□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□



03818



(Art. NEOSEAL + nr. art.)



Art. PURGEVALVE.B



(Art. LABELCOVER + nr. art.)



70

